WEST

Такован війстина описновняющей разположняющей при							
Main Menu	Search Form	Posting Counts	Show S Numbers	Edit S Numbers	Preferences	Cases	


Logout

Interrupt

11,7

Search Results -

	Terms	Documents
L33 a	and (geograph\$4 near20 location\$2)	1



Help


Search:

L36	▲	Refine Search
Recall Text Clear		


Search History

Set Name side by side		Hit Count	Set Name result set
DB=US	SPT; PLUR=YES; OP=OR		
<u>L36</u>	L33 and (geograph\$4 near20 location\$2)	1	<u>L36</u>
<u>L35</u>	L33 and (geographical near2 location)	0	<u>L35</u>
<u>L34</u>	L33 and L29	0	<u>L34</u>
<u>L33</u>	L31 and L28	3	<u>L33</u>
<u>L32</u>	L31 and L28 and L29	0	<u>L32</u>
<u>L31</u>	"map coordinate"	672	<u>L31</u>
<u>L30</u>	L29 and L28	2	<u>L30</u>
<u>L29</u>	"geographical location"	3360	<u>L29</u>
<u>L28</u>	"spatial query"	27	<u>L28</u>
<u>L27</u>	((data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)) and (spatial near2 quer\$3)	0	<u>L27</u>
<u>L26</u>	(data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)	7	<u>L26</u>
<u>L25</u>	L24 and quer\$3	5	<u>L25</u>

<u>L24</u>	(data adj2 record\$2) same (receiv\$3 or retriev\$3) same (geograph\$4 adj2 location\$2)	19	<u>L24</u>
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	. 74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>



Set Name side by side		Hit Count	Set Name result set
•	SPT; PLUR=YES; OP=OR		
<u>L33</u>	L31 and L28	3	<u>L33</u>
<u>L32</u>	L31 and L28 and L29	0	<u>L32</u>
<u>L31</u>	"map coordinate"	672	<u>L31</u>
<u>L30</u>	L29 and L28	2	<u>L30</u>
<u>L29</u>	"geographical location"	3360	<u>L29</u>
<u>L28</u>	"spatial query"	27	<u>L28</u>
<u>L27</u>	((data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)) and (spatial near2 quer\$3)	0	<u>L27</u>
<u>L26</u>	(data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)	7	<u>L26</u>
<u>L25</u>	L24 and quer\$3	5	<u>L25</u>
<u>L24</u>	(data adj2 record\$2) same (receiv\$3 or retriev\$3) same (geograph\$4 adj2 location\$2)	19	<u>L24</u>
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	. 8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>



Set Name		Hit Count	Set Name result set
DB=US	SPT; PLUR=YES; OP=OR		
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>

.	WEST	
	Help Logout Interrupt	
(x.	Main Menu Search Form Posting Counts Show S Numbers Edit S Numbers Preferences Cases	
(, Y)	Search Results -	
	Terms Documents	
	(map\$2 adj2 coordinate\$2) near2 conversion\$2	
Database:	US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Search:	Recall Text Clear	
	Search History	

Set Name Query side by side			Set Name result set
DB=U	SPT; PLUR=YES; OP=OR		
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>

Database: BPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: Refine Search

Search History



Set Name Query side by side			Hit Count Set Name result set	
DB=U	VSPT; $PLUR = YES$; $OP = OR$			
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>	
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>	
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>	
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>	
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>	
<u>L9</u>	L8 and map\$2	44	<u>L9</u>	
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>	
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>	
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>	
<u>L5</u>	L3 and internet	74	<u>L5</u>	
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>	
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>	
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>	
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>	